

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.57

1906-7

TRADE-LIST OF

1906-7

LIBRARY  
U.S. Department of Agriculture  
Washington, D.C.

# American Plants and Shrubs




HIBISCUS MOSCHEUTOS  
Specimen Plant, in our Grounds.

COLLECTED AND GROWN BY WM. F. BASSETT

HAMMONTON, NEW JERSEY, U. S. A.

Filling a fifteen carload order for Kalmia Latifolia. This work is all done under personal supervision



NEW YORK ZOOLOGICAL PARK, Aug. 18th, 1906.

MR. W.M. F. BASSETT : Dear Sir : The Kalmias, ten carloads in all, that we received from you, have done exceedingly well, as might be expected from stock as carefully dug as yours was. We expect a fine show next season, and I hope to be able to send you some photographs of them.

Yours very truly,

HERMANN W. MURKEL,

Chief Forester and Constructor.

## Terms and Remarks.

---

OUR TERMS are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates, respectively. Persons not known by us to be responsible and reliable, will be expected to send cash with order, or good references.

SHIPPING FACILITIES. Our nurseries are within 30 miles of Philadelphia (two railroads), 100 miles of New York, and freight rates very low.

MAILING PLANTS. Small orders will be filled by mail when so requested, if the size of plant will permit; but postage will be added to bills so forwarded.

COLLECTED PLANTS. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware, and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" PULLED UP by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

TRANSPLANTED STOCK. To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

PACKING, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

---

### To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

---

### Certificate of Inspection.

A copy of the Certificate of Inspection will accompany each shipment.  
We will fumigate stock WHEN REQUESTED.

## Novelties and Specialties.

### Bright Red Pyrus,—*Arbutifolia*, var. *Brilliantissima*.

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia*, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the winter. This is so decidedly superior to the ordinary form that we are growing it exclusively.

### Plants not in this List.

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

### Seeds.

We collect American tree and shrub seeds ON ORDERS ONLY. Prices quoted on application.

### Shrubs for Immediate Effect.

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum cassinooides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety.

SPECIAL PRICES on carload lots.

## Hardy Perennial Phlox.

We offer the following selection in strong field-grown plants. This selection is the best of a large collection.

**Price**, except where noted: 15 c. each; \$1 for 10; \$6 per 100; \$55 per 1000  
These prices good for Fall delivery only.

*Aquilon*. Tall. Bright Tyrian rose, with rich crimson eye.

*Andreas Hoffer*. Medium. An early and continuous-flowering pure white.

*Boquet Flouri*. Dwarf. Pure white, with crimson-carmine eye; free flowering; each branch a perfect bouquet.

*Bridesmaid*. Tall. White, with large crimson-carmine centre.

*Beranger*. Dwarf. Ground color white, delicately suffused with rosy pink, and distinct amaranth red eye.

*Bacchante*. Tall. Tyrian rose, with crimson carmine eye.

*Blanc Nain*. Very dwarf. Pure white.

*Colibri*. Tall. White, with crimson carmine centre; very late.

*Champs Elysee*. Medium. A very bright rosy magenta, of an effective shade.

*Crystal Palace.* Tall. Lilac, with white markings and deeper color centre.

*Cyclon.* Very dwarf. White suffused with lilac, aniline red eye in form of a star.

*Eclaireur.* Tall. Brilliant rosy magenta with large lighter halo,—excellent variety.

*Eugene Danzanvillier.* Tall. Lilac, shading white towards the edges; large white centre.

*Esclarmonde.* Tall. Lilac, marked with white; aniline red eye.

*Edmond Audran.* Medium. Deep mauve.

*Fantome.* Tall. Bluish lilac, washed with white on edges, with large dark crimson centre.

*Graff von Ungerer.* Tall. Large flower, white, suffused throughout with rosy lilac, and dark crimson eye.

*H. O. Wijers.* Tall. Pure white, with crimson-carmine eye.

*Inspector Peiker.* Purplish mauve, washed with white.

*Joanne d'Arc.* Tall. A late flowering pure white.

*La Vague.* Medium. Pure mauve, with aniline red eye; one of the best phlox in our collection.

*La Soleil.* Medium. Rosy magenta, with carmine eye and light halo.

*Mozart.* Tall. Ground color white, suffused with salmon; aniline red eye.

*Miremar.* Dwarf. Reddish violet, with faint white markings.

*Mme. Marie Kuppenheim.* Dwarf. A fine late pure white.

*Offenbach.* Dwarf. Light purple, with lighter shadings.

*Otto Thalacker.* Dwarf. Tyrian rose, with deep red eye and light halo.

*Obergartner Wittig.* Medium. Bright magenta, with crimson-carmine eye; large flower and truss; the best of its type.

*Pantheon.* Tall. Bright carmine rose.

*Pecheur d'Islands.* Tall. Crimson red suffused with cochineal red, carmine red eye.

*P. Bonnetaine.* Medium. Deep rosy magenta.

*Professor Schlieman.* Tall. Pure mauve, with crimson-carmine eye; an effective late flowering variety.

*Papillon.* Medium. Bright violet purple, peculiarly marked with white.

*Philibert Audelbrand.* Tall. Pure white, carmine centre; large flower.

*R. P. Struthers.* Tall. Rosy carmine, with claret red eye; one of the best Phlox in cultivation.

*Roxclane.* Tall. Reddish violet, with aniline red eye.

*Sunshine.* Dwarf.\* Large flower; aniline red, with crimson red eye, light halo.

*Simplon.* Tall. White, with aniline red eye.

*Semiramis.* Rosy magenta, with lighter centre.

*Schlessgartner Reichenaut.* Dwarf. Solferino red.

*Thebaide.* Dwarf. Carmine lake, with brighter shadings and aniline red.

*Talma.* Dwarf. Rosy magenta; small white eye.

*The Pearl.* The best pure white. 10 c. each; 75 c. per 10; \$4 per 100; \$35 per 1000. We have a large stock of this variety, in field-grown plants.

*Vou Goethe.* Tall. Tyrian Rose, suffused with carmine lake, and carmine red eye.

*Wm. Mihle.* Tall. Carmine purple, with crimson eye.

*Zouave.* Medium. Bright rosy magenta, with red centre.

## General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

	Each	10	100	1000
Achillea eupatoria . . . . .	\$.15	.75		
" millefolium roseum . . . . .	10	.50	3.00	25.00
" The Pearl . . . . .	10	.40	2.50	20.00
" tomentosa . . . . .	15	.50		
Acorus calamus, collected . . . . .	10	.50	3.00	
Adiantum pedatum . . . . .	15	.60	3.00	25.00
Aletris farinosa, col . . . . .	10	.50	2.00	12.00
Amsonia salicifolia . . . . .	15	1.00		
Andropogon macrourus, col . . . . .	10	.50	2.00	15.00
Anemone Pennsylvanica . . . . .	20	.75		
" nemerosa . . . . .	15	.60	5.00	
Anemonella thalictroides, col . . . . .	15	.60	3.00	
Apios tuberosa . . . . .	10	.30	1.00	8.00
Aquilegia Canadensis, col . . . . .		.50	3.00	25.00
" hybrida . . . . .	25	.75	4.00	
Aralia hispida, col . . . . .	15	.75		
Arenaria squarrosa, col . . . . .	20	.70	3.00	25.00
Arisaema Dracontium, col . . . . .	20	.80	4.00	
" triphyllum, col . . . . .	10	.50	2.00	15.00
Asarum Canadense . . . . .	15	.50	4.00	
Asclepias incarnata, col . . . . .	10	.50	3.00	20.00
" obtusifolia, col . . . . .	20	1.00		
" pulchra alba . . . . .	50			
" tuberosa, col . . . . .	20	1.00	6.00	40.00
Aspidium acrostichoides . . . . .	10	.50	2.00	15.00
" aculeatum var. Braunii, col . . . . .	30	1.25		
" cristatum, col . . . . .	20	.70	4.00	
" goldianum . . . . .	25	1.25		
" marginale, col . . . . .	10	.50	2.00	15.00
" novaboracensis, col . . . . .	10	.50	2.00	15.00
" spinulosum, col . . . . .	15	.75	3.00	25.00
" thelypteris, col . . . . .	10	.50	2.00	15.00
Asplenium ebeneum, col . . . . .	10	.50	2.00	15.00
" trichomanes, col . . . . .	15	.60	3.00	
Aster concolor, col . . . . .	15	1.00		
" linariifolius, col . . . . .	10	.50	2.00	15.00
" longifolius, col . . . . .	15	1.00		
" Nova Angiae . . . . .	15	.60	3.50	
" " " rosea . . . . .	15	1.00	8.00	
" Mrs. F. Raynor . . . . .	15	1.00		

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Aster lœvis</i> . . . . .	15	.75	5.00	
“ <i>lœvis floribunda</i> . . . . .	25	1.00		
“ <i>patens</i> , col . . . . .	10	.50		
“ <i>puniceus</i> , col . . . . .	20	.75		
“ <i>spectabilis</i> , col . . . . .	10	.50	2.50	15.00
“ <i>tradescantii</i> , col . . . . .	10	.40	2.50	15.00
“ <i>Tartaricus</i> . . . . .	15	.75	3.00	25.00
<i>Baptisia tinctoria</i> , col . . . . .	25	1.00	4.00	
<i>Boltonia asteroides</i> . . . . .	15	.75	4.00	
“ <i>glastifolia</i> . . . . .	25	1.00	4.00	
“ <i>latasquamae</i> . . . . .	15	.75	4.00	
<i>Botrychium Virginicum</i> , col . . . . .	20	.60	4.00	
<i>Brasenia peltata</i> , col . . . . .	10	.50	2.00	15.00
<i>Breweria Pickeringii</i> , col . . . . .	25	1.00	6.00	
<i>Brunella vulgaris</i> . . . . .	10	.50	2.00	15.00
<i>Calamagrostis brevipilis</i> , col . . . . .	25	1.00	5.00	
“ <i>Nuttaliana</i> , col . . . . .	25	1.00	6.00	
<i>Calla palustris</i> , col . . . . .	15	.75	4.00	
<i>Calopogon pulchellus</i> , col . . . . .	15	.60	4.00	
<i>Caltha palustris</i> , col . . . . .	15	.60	3.00	25.00
<i>Camptosorus rhizophyllus</i> , col . . . . .	15	.60	2.50	
<i>Cassia Marylandica</i> . . . . .	15	.50	3.00	
<i>Chelone glabra</i> , col . . . . .	10	.50	3.00	
<i>Chimaphila maculata</i> , col . . . . .	15	.60	4.00	
“ <i>umbellata</i> , col . . . . .	15	.75	6.00	
<i>Chrysopsis falcata</i> , col . . . . .	20	.50	3.00	10.00
“ <i>Mariana</i> , col . . . . .	10	.50	2.50	15.00
<i>Cimicifuga racemosa</i> , col . . . . .	15	.60	3.00	20.00
<i>Claytonia Virginica</i> , col . . . . .	15	.60	4.00	
<i>Clintonia borealis</i> , col . . . . .	15	.60	3.00	
<i>Coreopsis grandiflora</i> . . . . .	15	.75	3.00	
“ <i>lanceolata</i> . . . . .	10	.50	2.00	15.00
<i>Coronilla varia</i> . . . . .	10	.60	4.00	
<i>Cunilla Mariana</i> , col . . . . .	20	.60	3.00	
<i>Cypripedium acaule</i> , col . . . . .	15	.75	4.00	
“ “ large selected roots . . . . .			6.00	
<i>Dallibarda repens</i> . . . . .	15	1.00		
<i>Dentaria laciniata</i> , col . . . . .	15	.60	3.00	
<i>Dicentra Canadensis</i> , col . . . . .	15	.75	2.50	15.00
“ <i>cucullaria</i> , col . . . . .	15	.60	2.00	15.00
<i>Dicksonia pilosusiuscula</i> . . . . .	15	.60	2.00	10.00
<i>Digitalis gloxioides</i> . . . . .	15	.75		
<i>Dioscorea villosa</i> , col . . . . .	25	1.50		
<i>Dracocephalum Virginicum</i> . . . . .	10	.50	2.00	
<i>Drosera filiformis</i> , col . . . . .	15	.60	1.50	10.00
“ <i>intermedia</i> . . . . .	15	.60	3.00	

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Elodes Virginica</i> , col . . . . .	15	.60	3.00	15.00
<i>Epilobium angustifolium</i> , col . . . . .	15	1.00	6.00	50.00
<i>Erianthus alopecuroides</i> , col . . . . .	15	.60	3.00	
<i>Eriocaulon gnaphalodes</i> , col . . . . .	15	.60	2.50	
" <i>decangulare</i> , col . . . . .	15	.60	2.50	
<i>Eriophorum Virginicum</i> , col . . . . .	15	.75		
" <i>gracile</i> . . . . .	10	.75	5.00	40.00
<i>Eryngium amethystinum</i> . . . . .	25	1.00	5.00	
" <i>Virginicum</i> . . . . .	15	1.00	5.00	
<i>Erythronium Americanum</i> , col . . . . .	15	.60		
<i>Eulalia gracillima</i> . . . . .	10	.50	2.00	18.00
" <i>Japonica variegata</i> . . . . .		.50		
" " <i>zebrina</i> . . . . .	15	.60	2.50	18.00
<i>Eupatorium ageratoides</i> . . . . .	15	.75	4.00	
" " " col . . . . .	15	.60	3.00	20.00
" <i>purpureum</i> , col . . . . .	15	.60	4.00	30.00
<i>Euphorbia corollata</i> . . . . .	15	.50	2.50	10.00
" <i>ipecauanhæ</i> , col . . . . .	10	.60	3.00	
<i>Funkia lancifolia</i> . . . . .	15	.60	3.00	25.00
" <i>Sieboldii</i> . . . . .	25	2.00		
<i>Gaillardia grandiflora</i> . . . . .	20	1.00	5.00	
<i>Galactea glabella</i> . . . . .	20	.80		
<i>Galtonia (Hyacinthus) Candicans</i> . . . . .		.50	1.50	
<i>Gentiana Andrewsii</i> , col . . . . .	25	1.25	7.00	
" <i>angustifolia</i> , col . . . . .	25	1.50		
" <i>saponaria</i> , col . . . . .	25	1.00	7.00	
<i>Geranium maculatum</i> , col . . . . .	15	.60	2.50	
" <i>sanguineum</i> . . . . .	15	.80	5.00	
<i>Gerardia flava</i> , col . . . . .	20	.75	5.00	
<i>Goodyera pubescens</i> . . . . .	30	1.00		
<i>Gratiola aurea</i> , col . . . . .	15	.60	3.00	
<i>Gypsophyla repens</i> . . . . .	25	1.50		
<i>Habenaria blephariglottis</i> , col . . . . .	15	.70	5.00	
" <i>ciliaris</i> , col . . . . .	15	.75		
" <i>lacera</i> . . . . .	25	.75	5.00	
<i>Helenium autumnale</i> . . . . .	15	.60	2.00	15.00
" <i>pumilum</i> . . . . .	15	1.00		
<i>Helianthus angustifolius</i> , col . . . . .	15	.60	3.00	20.00
" <i>divaricatus</i> , col . . . . .	15	.60	4.00	25.00
" <i>giganteus</i> . . . . .	15	.60	3.00	
" <i>lætiflorus</i> . . . . .	10	.50	2.00	10.00
" <i>mollis</i> , col . . . . .	20	.75	3.00	
<i>Heliopsis Pitcheriana</i> . . . . .	25	1.00	4.00	
<i>Helonias bullata</i> , col . . . . .	20	.85	4.00	30.00
<i>Hemerocallis Dumortieri</i> . . . . .	15	.60	3.00	25.00
" <i>florham</i> . . . . .	30			

*On page 13, Mimuber ringens should read "Mimulus ringens."*

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Hemerocallis flava</i> . . . . .	.20	.75	4.00	35.00
“ <i>fulva</i> . . . . .	.10	.60	2.00	15.00
“ <i>Middendorfiana</i> . . . . .	.25	2.00		
“ <i>Kwanso plena</i> , var . . . . .	.25	1.25		
“ <i>Thunbergii</i> . . . . .	.20	.75	4.00	
<i>Hepatica acutiloba</i> , col . . . . .	.15	.60	4.00	25.00
“ <i>triloba</i> , col . . . . .	.15	.60	4.00	25.00
<i>Heuchera Americana</i> . . . . .	.15	.75		
“ “ col . . . . .	.15	.50	2.00	15.00
<i>Hibiscus moscheutos</i> . . . . .	.15	.60	3.00	20.00
“ “ <i>Crimson Eye</i> . . . . .	.15	.60	3.00	20.00
“ <i>militaris</i> . . . . .	.15	.75	2.00	
<i>Houstonia caerulea</i> , col . . . . .	.15	.50	4.00	
<i>Hypericum angulosum</i> , col . . . . .	.15	1.00		
“ <i>ascyron</i> . . . . .	.25			
<i>Iberis sempervirens</i> . . . . .	.20	.50	4.00	
“ “ <i>superba</i> . . . . .	.25	.75	4.00	
<i>Ipomoea pandurata</i> , col . . . . .	.25	1.00	7.00	
<i>Iris Germanica</i> , <i>Madam Cherau</i> . . . . .		.75	4.00	
“ “ <i>mixed</i> . . . . .		.50	2.00	
“ <i>aurea</i> . . . . .	.25	1.00		
“ <i>prismatica</i> , col . . . . .	.15	.60	2.00	15.00
“ <i>pumila</i> . . . . .	.15	.60	2.50	
“ <i>pseudacorus</i> . . . . .	.10	.50		
“ <i>Siberica</i> . . . . .	.15	.50	3.00	
“ “ <i>alba</i> . . . . .	.25	.60		
“ <i>versicolor</i> . . . . .		.75	2.00	15.00
<i>Lacnanthes tinctoria</i> . . . . .	.10	.50	2.00	15.00
<i>Liatris graminifolia</i> , col . . . . .	.10	.50	2.00	15.00
“ <i>cylindriaca</i> . . . . .	.15	1.00		
“ <i>pycnostachia</i> . . . . .	.25	1.25	5.00	
“ <i>spicata</i> . . . . .	.20	.75	4.00	
<i>Lilium Philadelphicum</i> , col . . . . .	.25	.80	5.00	
“ <i>superbum</i> . . . . .	.20	.75	5.00	
“ <i>Canadense</i> . . . . .	.20	.75	5.00	
<i>Linaria Canadense</i> . . . . .	.10	.50	2.00	10.00
“ <i>vulgaris</i> . . . . .	.15	.50	2.00	15.00
<i>Liparis liliifolia</i> . . . . .	.25	1.25	8.00	
<i>Lobelia cardinalis</i> , col . . . . .	.20	.60	3.00	20.00
“ <i>syphilitica</i> , col . . . . .	.25	.80	5.00	
<i>Lophiola aurea</i> , col . . . . .	.25	1.00	5.00	30.00
<i>Lysimachia ciliata</i> . . . . .	.15	.60	3.00	
“ <i>clethroides</i> . . . . .	.15	.60	4.00	
“ <i>Nummularia</i> . . . . .	.15	.60	2.00	
“ <i>punctata</i> . . . . .	.15	.60	4.00	
“ <i>quadrifolia</i> , col . . . . .	.15	.60	2.50	

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Lysimachia stricta</i> , col . . . . .	15	.60	3.00	
<i>Lythrum salicaria superba</i> . . . . .	15	.80	4.00	
<i>Mertensia Virginica</i> , col . . . . .	20	.75	3.50	25.00
<i>Mikania scandens</i> , col . . . . .	25	1.00		
<i>Mitchella repens</i> , col . . . . .	10	.50	2.00	15.00
<i>Mentha piperita</i> . . . . .	15	.75	3.00	
" <i>viridis</i> . . . . .	15	.75	3.00	
<i>Narthecium Americanum</i> , col . . . . .	30	1.50	5.00	40.00
<i>Nepeta glechoma</i> . . . . .	10	.50	2.00	
<i>Nesaea verticillata</i> , col . . . . .	25	1.00	5.00	
<i>Nuphar advena</i> , col . . . . .	25	1.00	6.00	
<i>Nymphaea odorata</i> , col . . . . .	25	.75	3.00	
" " <i>minor</i> , col . . . . .	25	.75	3.00	
<i>Oenothera fruticosa</i> , col . . . . .	15	.60	2.00	18.00
" <i>Youngii</i> . . . . .	15	.75		
<i>Onoclea sensibilis</i> , col . . . . .	15	.50	2.00	10.00
" <i>struthiopteris</i> , col . . . . .	15	.70	6.00	
<i>Opuntia Raffinesquii</i> . . . . .	15	.60	2.00	15.00
<i>Orontium Aquaticum</i> , col . . . . .	25	.90	6.00	45.00
<i>Osmunda cinnamomea</i> , col . . . . .	20	1.00	6.00	45.00
" <i>Claytoniana</i> , col . . . . .	20	.85	4.00	35.00
" <i>gracilis</i> , col . . . . .	25	1.00	6.00	40.00
" <i>regalis</i> , col . . . . .	20	1.00	6.00	40.00
<i>Oxalis violacea</i> , col . . . . .	15	.60	3.00	
<i>Panicum virgatum</i> , col . . . . .	15	.60	2.00	15.00
<i>Pardanthus Chinensis</i> . . . . .	10	.50	2.00	15.00
<i>Pentstemon barbatus Torreyi</i> . . . . .	20	.75	4.00	
" <i>grandiflorus</i> . . . . .	20	.75	5.00	
" <i>digitalis</i> . . . . .	20	1.00	5.00	
" <i>pubescens</i> , col . . . . .	15	.60	2.50	20.00
<i>Peltandra Virginica</i> , col . . . . .	30	1.50	8.00	60.00
<i>Phegopteris dryopteris</i> . . . . .	15	.60		
" <i>hexagonoptera</i> . . . . .	15	.60	3.00	
" <i>polypodioides</i> . . . . .	15	.60		
<i>Phlox divaricata</i> , col . . . . .	20	.75	3.00	25.00
" <i>maculata</i> , col . . . . .	20	.75	3.50	
" <i>subulata</i> . . . . .	15	.60	2.50	
" " <i>alba</i> . . . . .	15	.60	2.50	
" <i>The Pearl</i> . . . . .	10	.60	4.00	35.00
<i>Physostegia Virginica</i> . . . . .	15	1.00		
" " <i>alba</i> . . . . .	15	1.00	5.00	
<i>Platycodon grandiflorum</i> . . . . .	25	.60	5.00	
" " <i>album</i> . . . . .	25	.60	5.00	
<i>Podophyllum peltatum</i> , col . . . . .	15	.60	2.00	15.00
<i>Pogonia ophioglossoides</i> , col . . . . .	20	.75		
<i>Polypodium vulgare</i> . . . . .	15	.60	2.00	12.00

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
Pontederia cordata, col . . . . .	20	.75	4.00	30.00
Pteris aquilina, col . . . . .	15	.50	2.00	10.00
Pycnanthemum linifolium . . . . .	10	.50	4.00	
Pyrola chlorantha, col . . . . .	15	.60	3.00	
" elliptica, col . . . . .	15	.60	3.00	
" rotundifolia, col . . . . .	15	.60	3.00	
Pyxidanthera barbulata, col . . . . .	20	.75	3.00	25.00
Rudbeckia hirta, col . . . . .	15	.60	2.50	20.00
" laciniata . . . . .	15	.60	3.00	25.00
" " fl. pl. (Golden Glow) . . .	10	.50	3.50	
" speciosa . . . . .	15	.80		
Sabbatia chloroides, col . . . . .	25	.75	5.00	40.00
" lanceolata, col . . . . .	15	.60	4.00	35.00
Sagittaria latifolia . . . . .	15	1.00	6.00	
" Englemanii . . . . .	15	1.00	6.00	
Salvia lyrata . . . . .	10	.50	2.00	15.00
" azurea grandiflora . . . . .	25	.75	5.00	
Sanguinaria Canadensis . . . . .	15	.60	2.00	18.00
Sarracenia pupurea, col . . . . .	25	.75	3.00	25.00
Scirpus Eriophorum, col . . . . .	15	.60	3.00	
Sedum acre . . . . .	10	.50	3.00	20.00
" album . . . . .	10	.50	2.00	10.00
" spectabile . . . . .	15	.75	5.00	
" ternatum . . . . .	15	.60	3.00	20.00
Silene Pennsylvanicum . . . . .	20	.75	5.00	
" stellata . . . . .	15	.60	3.00	
Smilacina bifolia, col . . . . .	20	.75	3.00	25.00
" racemosa, col . . . . .	20	.75	3.00	25.00
Solidago altissimum, col . . . . .	15	.60	2.50	
" cæsia, col . . . . .	15	.50		
" Canadensis . . . . .	15	.60	2.50	
" lanceolata, col . . . . .	10	.50	2.00	15.00
" nemoralis, col . . . . .	15	.60	2.00	15.00
" odora, col . . . . .	10	.50	2.00	15.00
" puberula, col . . . . .	15	.60		
" sempervirens . . . . .	10	.60	2.50	20.00
" tenuifolia, col . . . . .	10	.50	2.00	15.00
" virgata, col . . . . .	20	.75	3.00	25.00
Stokesia cyanea . . . . .	10	.75	4.00	30.00
Tephrosia Virginica, col . . . . .	15	.60	3.00	25.00
Thalictrum cornuti, col . . . . .	20	.75	3.00	25.00
" dioicum, col . . . . .	20	.75	3.50	30.00
Tradescantia Virginica . . . . .	15	.60	3.00	25.00
" " alba . . . . .	20	.75	3.50	
" " fl. pl . . . . .	25	1.00	3.00	
Trillium erectum, col . . . . .	10	.75	5.00	35.00
	15	.60	3.00	

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Trillium erectum album</i> , col . . . . .	20	.75	4.00	
" <i>grandiflorum</i> . . . . .	15	.50	2.50	15.00
" " <i>roseum</i> . . . . .	20	.75	5.00	
<i>Typha angustifolia</i> , col . . . . .	15	.60	5.00	
" <i>latifolia</i> , col . . . . .	15	.60	5.00	
<i>Vernonia hybrida</i> . . . . .	15	1.00	5.00	
" <i>novaboracensis</i> , col . . . . .	20	.80	5.00	
<i>Veronica Circæoides</i> . . . . .	15	.75	3.00	
" <i>officinalis</i> . . . . .	25	.50	2.00	18.00
" <i>longifolia subsessilis</i> . . . . .	25	1.00	5.00	
<i>Viola cucullata</i> . . . . .	10	.50	1.50	10.00
" <i>pedata</i> , col . . . . .	15	.50	2.50	20.00
" <i>Pink Gem</i> . . . . .	25	.75	5.00	
" <i>Pinehurst</i> . . . . .	15	1.00	5.00	
" <i>primulæfolia</i> . . . . .	15	.60		
<i>Woodwardia angustifolia</i> , col . . . . .	15	.60	2.50	20.00
" <i>Virginica</i> , col . . . . .	15	.60	2.00	15.00
<i>Xerophyllum asphodeloides</i> , col . . . . .	15	.60	2.00	15.00
" " in strong clumps, col . . . . .	25	1.50	10.00	
<i>Yucca filamentosa</i> . . . . .	20	.70	3.50	30.00
" " (heavy plants) . . . . .	25	1.50	7.00	

## Trees, Shrubs, and Woody Climbers.

<i>Acer Platanoides</i> , 1 to 2 feet . . . . .	10	.50	2.50	
" " seedlings, 4 to 6 inches . . . . .		.25	1.00	
" <i>rubrum</i> , 5 to 8 feet, col . . . . .	25	1.25	8.00	
" " 4 to 5 feet, col . . . . .	20	.80	4.00	
" " 3 to 4 feet, col . . . . .	20	.75	3.00	
" " 2 to 3 feet, col . . . . .	15	.50	2.50	15.00
" <i>spicatum</i> , col . . . . .		1.00	4.00	
<i>Akebia quinata</i> , 2 years . . . . .	15	.50	3.00	
<i>Amelanchier Botryapium</i> , col . . . . .	15	.80	6.00	30.00
" <i>Canadensis</i> , 2 to 4 feet, trans . . .	15	1.00	6.00	
" " col . . . . .		.60	3.00	
" <i>rotundifolia</i> , 2 to 3 ft . . . . .	25	1.00	5.00	
" " 1 to 2 ft . . . . .	15	.75	3.00	
<i>Ampelopsis quinquefolia</i> , 2 years . . . . .	15	.60	3.00	
<i>Andromeda arborea</i> , 10 to 15 inches . . . . .	15	1.00	6.00	
" <i>calyculata</i> , col . . . . .		.60	2.00	15.00
" <i>ligustrina</i> , trans . . . . .	15	.75		
" " col . . . . .		.60	3.00	25.00
<i>Andromeda Mariana</i> , 1 to 2 feet . . . . .	20	1.00	5.00	
" " 6 to 12 inches . . . . .	15	.75	4.00	
" " col . . . . .		.75	3.50	25.00
" <i>polifolia</i> . . . . .	25	.75	4.00	

All plants in this list are nursery grown, unless otherwise specified.

	Each	10	100	1000
<i>Andromeda racemosa</i> , 2 to 3 feet . . . . .	25	1.50	10.00	
"    "    col . . . . .		.60	2.50	20.00
<i>Asimina triloba</i> . . . . .	35	2.50		
<i>Acyrum Crux-Andräe</i> , col . . . . .	15	.60	3.00	
"    stans, col . . . . .	15	.60	3.00	
<i>Azalea arborescens</i> , 2 to 3 feet . . . . .	40			
" <i>Amoena</i> . . . . .	40	3.00		
" <i>calendulacea</i> , 1 to 2 feet . . . . .	35	2.00	18.00	
"    "    2 to 3 feet . . . . .	50	4.00		
" <i>nudiflora</i> . . . . .	50	2.00	10.00	
"    "    col . . . . .		.60	3.00	25.00
" <i>Vaseyi</i> , 2 to 3 feet . . . . .	40			
" <i>viscosa</i> , 1 to 2 feet . . . . .	15	1.00	7.50	
"    "    col . . . . .		.60	3.00	25.00
"    "    3 to 6 feet, with ball, col . . . . .	1.40	10.00		
<i>Baccharis halimifolia</i> , col . . . . .	15	.75	5.00	30.00
<i>Berberis Thunbergii</i> . . . . .	15	1.00	8.00	
" <i>vulgaris</i> , 10 to 12 inches . . . . .	10	.40	2.00	
<i>Betula lenta</i> , 5 to 6 feet—XXX . . . . .	25	2.00	15.00	
"    "    col . . . . .		.50	2.50	18.00
" <i>populifolia</i> , col . . . . .		.50	1.50	10.00
" <i>lutea</i> , 5 to 10 feet, extra . . . . .	40	2.50		
<i>Calycanthus Floridus</i> , 1 to 2 feet . . . . .	15	1.00	6.00	
<i>Carpinus Americana</i> , 2 to 4 feet, twice trans . .	25	1.00	7.00	
<i>Celastrus scandens</i> , col] . . . . .		.50	2.00	15.00
<i>Cephalanthus occidentalis</i> , 2 to 3 feet . . . . .	25	2.00	8.00	
"    "    1 to 2 feet . . . . .	10	.50	3.00	
<i>Cercis Canadensis</i> , 1 to 2 feet . . . . .	25	1.00	6.00	
"    "    5 to 6 feet . . . . .	30	2.00	10.00	
"    "    col . . . . .		.60	4.00	30.00
<i>Chionanthus Virginica</i> . . . . .	15	.60	5.00	
<i>Clematis Virginica</i> , col . . . . .		.50	2.50	18.00
<i>Clethra alnifolia</i> , 2 to 3 feet . . . . .	15	.80	5.00	
"    "    1 to 2 feet . . . . .	10	.50	3.00	25.00
"    "    col . . . . .		.50	2.00	15.00
<i>Comptonia asplenifolia</i> , bushy . . . . .	25	1.00	9.00	
"    "    col . . . . .		.50	2.50	15.00
<i>Cornus Florida</i> , 2 to 3 feet . . . . .	15	1.00	10.00	
"    "    col . . . . .		.60	3.50	20.00
" <i>mas.</i> , 2 to 3 feet . . . . .	15	.90		
" <i>paniculata</i> , 2 to 3 feet . . . . .	20	1.00	8.00	
"    "    col . . . . .		.60	3.00	25.00
" <i>sericea</i> , 3 to 4 feet . . . . .	20	.75	7.50	
"    "    col . . . . .		.60	2.50	20.00
<i>Corylus Americana</i> , 2 to 3½ feet, trans . . . . .	30	2.00	10.00	
"    "    col . . . . .		.60	3.00	20.00
<i>Crataegus parvifolia</i> , 2 to 3 feet, heavy . . . . .	30	1.75		
"    "    col . . . . .		.60	4.00	35.00

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Cupressus thyoides</i> , col . . . . .		.50	1.50	8.00
<i>Diervilla trifida</i> , trans . . . . .	15	.60	6.00	
"    " col . . . . .		.60	3.00	25.00
" <i>sessilifolia</i> . . . . .	20	1.00	7.50	
<i>Dimorphanthus Mandschuricus</i> , 5 to 10 ft . . . . .	50	1.00		
"    " 2 to 5 feet . . . . .		.50		
<i>Diospyros Virginica</i> , col . . . . .	20	.75	4.00	
<i>Dirca palustris</i> , trans . . . . .	20	1.00		
<i>Epigaea repens</i> , col. seedlings, with ball . . . . .	25	1.00	6.00	
<i>Euonymus Americanus</i> , col . . . . .		.60	2.50	20.00
" <i>radicans</i> . . . . .	15	.60	3.50	
"    " variegated . . . . .	15	.75		
" <i>Europaeus</i> , 3 to 4 feet . . . . .	20	1.00	4.00	
"    " 2 to 3 feet . . . . .	15	.60	3.00	
<i>Forsythia Fortunei</i> , 3 to 4 feet . . . . .	15	.60	4.00	
<i>Fothergilla alnifolia</i> . . . . .	25	1.50		
<i>Gaultheria procumbens</i> , col . . . . .	10	.40	1.50	10.00
"    " col. clumps . . . . .		.50	2.00	15.00
<i>Gaylussacia Dumosa</i> , col . . . . .	15	.60	3.50	
"    " <i>frondosa</i> , col . . . . .	15	.60		
" <i>resinosa</i> , col . . . . .	15	.50	2.00	15.00
<i>Hammamelis Virginica</i> . . . . .	25	1.25	10.00	
"    " col . . . . .		.60	3.50	30.00
<i>Hudsonia ericoides</i> , col . . . . .	10	.50	2.00	15.00
" <i>tomentosa</i> , col . . . . .		.60	4.00	20.00
<i>Hydrangea arborescens</i> , 1 to 2 feet . . . . .	15	.75	6.00	
"    " 2 to 3 feet . . . . .	25	1.00	7.50	
"    " col . . . . .		.60	3.00	25.00
<i>Hypericum densiflorum</i> , col . . . . .	15	.60	2.00	10.00
" <i>perforatum</i> . . . . .	10	.75	5.00	
<i>Ilex glabra</i> , 6 to 12 inch, col . . . . .	15	.60	3.00	
"    1 to 2 feet, with ball, col . . . . .	15	3.00	17.00	
"    2 to 3 feet, with ball, col . . . . .	1.00	6.00	40.00	
<i>Ilex Opaca</i> , col. seedlings . . . . .		.75	4.00	35.00
"    col, 1 to 2 feet, bushy . . . . .		1.50	12.00	
Prices quoted on larger sizes on application.				
We cut leaves from all <i>Ilex Opaca</i> as soon as dug.				
<i>Ilex verticillata</i> , col . . . . .		.85	4.00	
<i>Itea Virginica</i> , 1 to 2 feet . . . . .	15	.50	4.00	
"    2 to 3 feet . . . . .	25	.80	6.00	
"    " col . . . . .		.50	3.00	
<i>Juniperus Virginiana</i> , col . . . . .	15	.50	2.00	15.00
<i>Kalmia angustifolia</i> , col . . . . .		.60	2.00	15.00
" <i>latifolia</i> , 6 to 12 inches, col . . . . .		.60	2.50	15.00
"    " 2 feet, with ball, col . . . . .	40	2.50	20.00	
We have a fine lot of this grade of Kalmias growing on land which was burned over some years ago, which we can furnish by thousand or carload at special prices.				

All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
<i>Kolreuteria paniculata</i> , 1 to 3 ft., trans . . . . .	10	.50	3.00	
<i>Ledum latifolium</i> , col . . . . .	20	1.00	5.00	
<i>Leiophyllum buxifolium</i> , col . . . . .	15	.60	4.00	35.00
<i>Leucothoe Catesbeii</i> , 6 to 12 in . . . . .	20	1.00	7.00	
<i>Lindera Benzoin</i> , 12 to 18 in . . . . .	20	.80	5.00	
"    "    col . . . . .		.60	3.00	25.00
<i>Liquidambar styraciflua</i> , 6 to 8 ft., twice trans .	50	3.50		
"    "    4 to 6 ft . . . . .	35	3.00	25.00	
"    "    col . . . . .		.60	2.00	
<i>Lonicera Brachypoda</i> , col . . . . .	15	.60	3.00	25.00
"    " <i>fragrantissima</i> , 3 to 5 ft . . . . .	15	.50		
"    " <i>Halleana</i> , 2 years . . . . .	35	.75	3.50	25.00
<i>Lyceum vulgare</i> . . . . .	10	.50	2.50	
<i>Magnolia glauca</i> , transplanted . . . . .	25	1.50		
<i>Menispermum Canadense</i> , col . . . . .	15	.60	2.50	20.00
<i>Mimuber ringens</i> . . . . .	25	1.25		
<i>Myrica cerifera</i> . . . . .			6.00	
"    "    2 to 3 ft—XXX . . . . .	30	2.00	15.00	
"    "    col . . . . .		.75	3.50	
"    " <i>gale</i> , 1½ to 2½ feet, bushy . . . . .	25	1.00	7.50	
"    "    col . . . . .		.75	3.50	30.00
<i>Ostrya Virginica</i> . . . . .			1.25	8.00
<i>Platanus orientalis</i> , 10 ft., trans . . . . .	40	3.00		
"    "    5 to 8 ft., trans . . . . .	25	2.00	15.00	
"    "    3 to 5 ft., trans . . . . .	15	1.00	8.00	
<i>Prunus maritima</i> , col . . . . .	15	.60	3.00	20.00
"    " <i>serotina</i> , col . . . . .	15	.60	3.00	20.00
"    " <i>Virginiana</i> , col . . . . .	15	.60	3.00	25.00
<i>Pyrus arbutifolia</i> , var. <i>Brilliantissima</i> , 2 to 3 feet, bushy . . . . .	25	1.00	5.00	
"    "    var. <i>Brilliantissima</i> , 1 to 2 ft .	15	.75	4.00	
"    " <i>melanocarpa</i> , black fruited . . . . .	15	.75	4.50	35.00
"    "    col . . . . .		.60	3.00	
<i>Rhododendron maximum</i> , 1 to 2 ft . . . . .	35	2.00	12.00	
"    "    col. seedlings, 6 to 12 in		.75	2.00	18.00
"    " <i>Catawbiense</i> . . . . .	25	2.00	15.00	
<i>Rhus copalina</i> , 2 to 3 feet—XX . . . . .		1.00	7.50	
"    "    col . . . . .		.50	2.00	15.00
"    " <i>glabra</i> , col . . . . .		.75	3.00	
"    " <i>typhina</i> , col . . . . .	15	.60	2.50	20.00
<i>Robinia hispida</i> . . . . .		.50	3.00	25.00
<i>Rosa blanda</i> . . . . .		1.00	7.00	
"    " <i>Carolina</i> , col . . . . .		.60	2.00	18.00
"    " <i>lucida</i> , trans . . . . .	20	1.25	7.00	
"    "    col . . . . .		.50	4.00	30.00
"    " <i>nitida</i> . . . . .	20*	1.25	7.00	


All plants in this list are nursery grown, unless otherwise specified.

	<i>Each</i>	<i>10</i>	<i>100</i>	<i>1000</i>
Rosa setigera . . . . .	.15	1.25	7.00	
Rubus Canadensis, col . . . . .	.10	.40	1.50	10.00
" cuneifolius, col . . . . .	.10	.40	2.00	15.00
" hispidus, col . . . . .		.50	1.50	7.50
" odoratus, col . . . . .		.50	2.00	15.00
Sambucus Canadensis, col . . . . .	.20	.75	5.00	
Sassafras, trans . . . . .	.25	2.00	15.00	
" col . . . . .		.50	3.00	25.00
Smilax rotundifolium, col . . . . .	.15	.60	3.00	25.00
" Walterii, col . . . . .	.25	1.00	6.00	
Spiraea Anthony Waterer, 1 to 2 feet . . . . .	.25	1.75	6.00	
" tomentosa, col . . . . .		.60	2.00	15.00
" VanHouttii, 3 to 4 feet . . . . .	.25	1.00	7.50	
" Callosa superba . . . . .	.25	1.00		
Staphylea trifolia, col . . . . .	.15	.60	3.00	25.00
Stuartia pentagonia, 8 to 12 in . . . . .	.15	1.00		
Symporicarpus vulgaris, 2 to 3 feet . . . . .	.10	.50	2.50	20.00
Tecoma radicans . . . . .	.10	.50	2.50	
Ulmus Americana, 6 to 8 ft., twice trans . . . . .	.15	1.00	10.00	
Vaccinium corymbosum, trans . . . . .	.15	1.25	10.00	
" " col . . . . .		.60	3.00	25.00
" macrocarpon, col . . . . .	.10	.50	1.50	10.00
" Pennsylvanicum, col . . . . .		.60	3.00	25.00
" stamineum, 8 to 12 inch . . . . .	.15	.80	6.00	
" " col . . . . .		.75	4.00	30.00
" vacillans, col . . . . .		.60	3.00	25.00
Viburnum acerifolium, 1 to 2 feet . . . . .	.15	1.00	7.00	
" " col . . . . .		.60	3.00	25.00
" cassinoides . . . . .	.25	1.50	10.00	
" dentatum, trans . . . . .	.25	1.50	8.00	
" nudum, col . . . . .		.60	3.00	25.00
Virgilia lutea, 6 to 12 inch . . . . .	.15	1.00	6.00	
Xanthoxylum Americanum . . . . .	.25	.80		
" " col . . . . .		.75	4.00	30.00
Xanthorhiza apiifolia . . . . .	.20	1.25	6.00	50.00


### Coniferous Evergreens.

Arborvitæ, dwarf, 1 to 2 feet . . . . .	.25	1.50		
Pinus rigidia, seedlings, col . . . . .		.50	1.50	12.00

All plants in this list are nursery grown, unless otherwise specified.







PYXIDANTHERA BARBULATA



BRYANT-PHILA

KALMIA LATIFOLIA

Specimen Plant.